

# **Mechanical Joint** Integrity

- **Electric Torque Wrenches**
- **Shear Wrenches**
- **Digital Torque Wrenches**

















### □Company Overview :-

products to ensure we meet our customer's immediate needs.

Having started in 2014, BOLTORQ has grown into a force to reckon with in the multiple industries. We are Leading Manufacturing & Marketing of Bolt Tightening Equipment. We are offering Complete Bolted Joint Solution with our innovative products for projects and shutdowns to clients in multiple sectors.

It has managed to grow from strength to strength and has earned a reputation for itself by offering quality solutions not just nationally but also to many developing countries globally.BOLTORQ's large proportion of products are exported worldwide and being sold to many major industries including oil refining, chemical and petro-chemical production, power generation, desalination, sugar refining, ship maintenance and many more. We carry extensive stocks of our standard

At BOLTORQ, the pillars upon which its strength rests are, Quality, Commitment to Excellence, Constant Innovation, and Environment Conducive to Growth. Today, we bring the Accuracy, Perfection, Innovation and to a higher level with

our enhanced product portfolio.

#### □<u>Vision :-</u>

- To become fastest growing firm with the emphasis on customer satisfaction, sustainable growth and solid management.
- **❖** To attain growth with unique attributes, characterized by quality products and services, excellence in practices, and values that nurture human potential.

#### **Mission**:-

- Our mission is to improve the efficiency of your company by providing high quality products and services.
- Pro actively provide excellence services in a timely, caring, and respectful manner.
- Demonstrate standard and leadership through innovative and effective solutions to ensure a high performance workforce.

#### ☐ ISO Certificate's :-






## Pneumatic Torque Wrench - Vertical Type



- 6 Bar compressed air, air consumption under max.power: 600L/min;
- Powerful and low noise, less than 80Dba under max.power;
- Set and control torque by adjusting the pressure on air register;
- Accuracy: ±5%, repeatability: ±1%;
- Optional digital air register, torque precision:±3%, repeatability: ±1%;
- Compact planet design, small size, higher torque/weight ratio;
- 4-way type of power control system, large-span torque;
- 7-vane type high performance air motor, high efficiency, no impact torque can be continually output;
- Design of reverse pressure-bias motor provide the max.power and torque in reversing mode, satisfying the
  - request of higher torque when loosing bolts;
  - Positive/reverse button by single hand, switch valve of TOUCH type;
- Excellent performance of continuous running can meet high workload.





Art. No.	Forward Torque	Square C	L	E	D	Non-load Speed	Weight
	(Nm)	(mm)	(mm)	(mm)	(mm)	(rpm )	( Kg)
BTP-14V	200-1400	1"	370	186	88	22	6.7
BTP-29V	410-2900	1"	390	186	88	9	7.3
BTP-40V	560-4000	1-1/2"	410	186	96	7	9.2
BTP-62V	870-6200	1-1/2"	445	186	114	5	11.4
BTP-120V	1880-12000	1-1/2"	484	186	129	2	17.4

<sup>\*</sup>Above weight does not include reaction arm. Non-load speed is the speed at gear 2 without load.





**❖** REGISTERED OFFICE: 26, ROYAL ENCLAVE, NRI BUNGLOWS,

OPP. KRISHNA SCHOOL,

PUSHPA COLONY, KHODIYAR COLONY,

JAMNAGAR – 361006, GUJARAT, INDIA

CONTACT NO. :- +919892703895

**E-Mail** 

<u>Web</u>

:- rkpathak@boltorq.com / info@boltorq.com

:- www.boltorq.com